UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/053,535	01/15/2002	Augustine M. Choi	13681-003002	7091
26161 FISH & RICHA	7590 06/13/200 ARDSON PC	8	13681-003002 7091 EXAMINER CHOI, FRANK I ART UNIT PAPER NUMBER 1616	INER
P.O. BOX 1022	,		CHOI, FRANK I	
MIINNEAPOLI	S, MN 55440-1022		ART UNIT PAPER NUMBER	
			1616	
			MAIL DATE	DELIVERY MODE
			06/13/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
Office Action Comments	10/053,535	CHOI ET AL.			
Office Action Summary	Examiner	Art Unit			
	FRANK I. CHOI	1616			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ad	ldress		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim 11 apply and will expire SIX (6) MONTHS from 12 cause the application to become ABANDONEI	l. ely filed the mailing date of this o O (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 6/26/3	2007				
	action is non-final.				
		secution as to the	morite ie		
•) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
closed in accordance with the practice under L	x parte Quayle, 1935 C.D. 11, 40	3 O.G. 213.			
Disposition of Claims					
 4) Claim(s) 43-47,50,53-59,62-89,96-99,102-115 and 118-158 is/are pending in the application. 4a) Of the above claim(s) 79-88 is/are withdrawn from consideration. 5) Claim(s) See Continuation Sheet is/are allowed. 6) Claim(s) 43-47,50,56-59,62-78,89,96,97,105,107,109,111,115,119,124,128, 132,136 and 140-158 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 					
Application Papers					
9) ☐ The specification is objected to by the Examiner. 10) ☑ The drawing(s) filed on 26 June 2007 is/are: a) ☑ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No d in this National	Stage		
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date See Continuation Sheet.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te			

Continuation of Disposition of Claims: Claims allowed are 53-55,98,99,102-104,106,108,110,112-114,118,120-123,125-127,129-131,133-135 and 137-139.

 $Continuation \ of \ Attachment(s)\ 3).\ Information \ Disclosure \ Statement(s)\ (PTO/SB/08),\ Paper\ No(s)/Mail\ Date \ 20070129,20070601,20070828,\ 20070913,\ 20071002,\ 20071213$

DETAILED ACTION

Claims 53-55, 98,99, 102-104, 106, 108, 110, 112-114, 118, 120-123, 125-127, 129-131, 133-135, 137-139 appear to be allowable.

The Examiner notes that the Rule 1.132 Declaration of Dr. Leo Otterbein was altered on the signature page by a patent agent or patent attorney, however, said alteration was not initialed and dated by the declarant. As such, the examiner requests that Applicant obtain the same or provide a new declaration properly dated and signed by the declarant.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 43-47, 50, 56-59,62-78, 89, 96, 97, 105, 107, 109, 111, 115, 119, 124, 128, 132, 136, 140-158 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for inhalation of gaseous carbon monoxide to treat the claimed conditions and diseases, does not reasonably provide enablement for treatment of the same by methods of administration other than inhalation. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to use the invention commensurate in scope with these claims.

The nature of the invention:

The invention is directed to treatment of various conditions and diseases by administration of carbon monoxide.

The state of the prior art and the predictability or lack thereof in the art:

Page 3

The prior art does not appear to disclose treatment of the claimed diseases and conditions. As such, predictability in the art appears to be low.

The amount of direction or guidance present and the presence or absence of working examples:

Although the Specification describes gaseous carbon monoxide and compositions which are not gaseous, the working examples in which a patient, i.e. an animal model, is treated only inhaled carbon monoxide is used. The lungs are uniquely designed to provide exchange of gases. There is no evidence that there would sufficient gas exchange, either of gaseous carbon monoxide or carbon monoxide dissolved in a vehicle, across the intestinal wall to provide effective treatment of the claimed disease or conditions. See e.g. Wing-Gaia et al., pg 686 (no difference in blood gas after ingestion of oxygenated water).

The breadth of the claims and the quantity of experimentation needed:

The claims are broad in that that encompass other routes of administration other than by inhalation. As such, one of ordinary skill in the art would be required to do undue experimentation in order determine what other methods of administration would be effective in treating the claimed disease and conditions.

The Examiner has duly considered that Applicant's arguments but deems them moot in light of the new grounds of rejection. The Applicant appears to have provided sufficient evidence showing that inhaled carbon monoxide would be effective in treating necrotizing enterocolitis. However, since none of example and evidence appears to show that other methods of administration would be effective in treating the claimed disease or conditions and the lungs, unlike the intestinal tract of humans, are uniquely designed to effect the exchange of gases,

Application/Control Number: 10/053,535 Page 4

Art Unit: 1616

evidence which employs inhaled carbon monoxide is not sufficient to show enablement of the entire scope of the claims.

Conclusion

A facsimile center has been established in Technology Center 1600. The hours of operation are Monday through Friday, 8:45 AM to 4:45 PM. The telecopier number for accessing the facsimile machine is 571-273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank Choi whose telephone number is (571)272-0610. Examiner maintains a compressed schedule and may be reached Monday, Tuesday, Thursday, Friday, 6:00 am -4:30 pm (EST).

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Dr. Johann Richter, can be reached at (571)272-0646. Additionally, Technology Center 1600's Receptionist and Customer Service can be reached at (571) 272-1600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Frank Choi Patent Examiner Technology Center 1600 June 13, 2008

/Johann R. Richter/ Supervisory Patent Examiner, Art Unit 1616